


*Kensington*  
*Art. Nr. 4414340*  
*1/10*




20.03.2018

Art.Nr. 4414340


Groundplan - Grundplan - Plan de masse - Planimetria - Plattegrond - Põhiplaan






Foundation - Fundament - Fondation - Fondamenta -Fundering - Immutatud alusraam







Floor boards - Fussbodenbretter - Plan pose plancher -  
Pavimento - Vloerhout - Põrandalaudis





































| Pos   | 20.03.2018 Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitalabel<br>Art.Nr. 4414340                                                                                                                                                 | 8/10 | Q  | P<br>(mm) | L<br>(mm) |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|-----------|-----------|
| 001   |                                                                                                                                                                              |      | 2  | 44x57     | 1473      |
| 002   |                                                                                                                                                                              |      | 8  | 44x114    | 1473      |
| 003   |                                                                                                                                                                              |      | 24 | 44x114    | 244       |
| 004   |                                                                                                                                                                              |      | 24 | 44x114    | 234       |
| 005   |                                                                                                                                                                              |      | 18 | 44x114    | 4200      |
| 006   |                                                                                                                                                                             |      | 2  | 44x120    | 4400      |
| 010   |                                                                                                                                                                              |      | 1  | 44x57     | 4200      |
| 011   |                                                                                                                                                                              |      | 36 | 44x114    | 2700      |
| W1-1  |                                                                                                                                                                              |      | 1  |           |           |
| WA-1  |                                                                                                                                                                            |      | 1  |           |           |
| WB-1  |                                                                                                                                                                                                                                                               |      | 1  |           |           |
| IAR2  | Foundation - Fundament - Fondation - Fondamenta - Fundering - Immutatud alusraam<br>                                                                                       |      | 5  | 70x45     | 3848      |
| IAR1  | Foundation - Fundament - Fondation - Fondamenta - Fundering - Immutatud alusraam<br>                                                                                       |      | 2  | 70x45     | 2488      |
| A-PR1 | Roof beam - Dachbalken - Panne de toit - Perlina del tetto - Gordingen / dakbalk - Pärilin<br>                                                                            |      | 3  | 44x140    | 4400      |
|       | Floor boards - Fussbodenbretter - Lame de plancher - Pavimento - Vloerhout - Põrandalaud<br>                                                                             |      | 44 | 90x18     | 2408      |
| DB    | Roof boards - Dachbretter - Voliges - Perlina per tetto - Dakhout - Katuselaud<br>                                                                                       |      | 98 | 90x18     | 1500      |
|       | Floor fillet - Fussbodenleiste - Corniere de finition du plancher - Finitura per pavimento (battisco pa) - Vloerafwerkliijst - Põrandaliist<br>                          |      |    | 18x18     | 12.63     |
|       | Roofing felt fillet - Dachpappenleiste - Baguette de fixation du feutre bitumeux - Asse per fissaggio guaina bituminosa - Afdekliijst asfaltpapier - Katusepapiliist<br> |      | 2  | 18x58     | 720       |
|       | Roofing felt fillet - Dachpappenleiste - Baguette de fixation du feutre bitumeux - Asse per fissaggio guaina bituminosa - Afdekliijst asfaltpapier - Katusepapiliist<br> |      | 4  | 18x58     | 1550      |
| TB-1  | Fascia board - Traufbrett - Bandeau de toit - Finitura lati tetto - Gevelliijst - Räästalaud<br>                                                                         |      | 2  | 18x90     | 4400      |
| DRV-1 | Roof edge reinforcement - Dachrandverstärkung - Corniere de renfort de bord de toit - Rinforzo x tetto - Dakrand versterking - Räästatugevdus<br>                        |      | 2  | 28x34     | 4400      |
| KFS-1 | Storm protection - Sturmleiste - Latte anti-tempeste - Protezione anti vento - Stormverankering / beveiliging - Tormikinnitusliist<br>                                    |      | 4  | 22x45     | 2050      |
|       | Gable moulding - Giebelleiste - Planche de rive - Finitura per frontale e retro del tetto - Gevelliijst - Viilulaud<br>                                                   |      | 4  | 18x120    | 1550      |
|       | Gable moulding - Giebelleiste - Planche de rive - Finitura per frontale e retro del tetto - Gevelliijst - Viilulaud<br>                                                   |      | 2  | 18x90     | 720       |








| Pos   | 20.03.2018                                                                                                                                                                                                                  | Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükítabel<br>Art.Nr. 4414340 | 9/10 | Q      | P<br>(mm) | L<br>(mm) |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|------|--------|-----------|-----------|
| HS8   | Screw for gable segment - Schrauben für deckblatt - Vis pour fixation losange de finition - Viti x frontali tetto - Schroef voor gevelpunt segment - Kruvi rombile                                                          |               | 6    | 3.5x35 |           |           |
| HS9   | Screw for gable moulding - Schrauben für giebelleiste - Vis pour fixation planche de rive - Vite per fissare finitura davanti e dietro del tetto - Schroef voor gevellijst - Kruvi viilulauale                              |               | 24   | 3.5x50 |           |           |
| HS12  | Screw for fascia boards - Schrauben für traufbretter - Vis pour fixation bandeau de toit - Viti x striscia del tetto - Schroef voor gevellijst - Kruvi räästalaualale                                                       |               | 20   | 4x40   |           |           |
| HS12  | Screw for roof edge reinforcement - Schrauben für dachrandverstärkung - Vis pour fixation corniere renfort de bord de toit - Viti x rinforzo bordo tetto - Schroef voor dakrand versterking - Kruvi räästatugevdusele       |               | 20   | 4x40   |           |           |
| HS102 | Screw for fixing roof elements - Schraube für befestigung - dachelementen - Vis de fixation des panneaux de toit - Vite per fissare gli elementi del tetto - Schroef voor bevestiging dakelement - Kruvi kilpide montaažiks |               | 27   | 4x60   |           |           |
| HS18  | Screw for roof beams - Schrauben für dachbalken - Vis pour fixation pannes de toit - Viti per perline del tetto - Schroef voor gordingen / dakbalken - Kruvi pärlinitele                                                    |               | 6    | 5x120  |           |           |
| HS18  | Screw for gable - Schrauben für giebel - Vis pour fixation des pignons - Viti per timpano - Schroef voor gevelpunt - Kruvi viilude kinnitamiseks                                                                            |               | 4    | 5x120  |           |           |
| HS16  | Screw for 1. wall beam - Schraube für 1. bohlenreihe - Vis de fixations 1ere rangée de madriers avec poutrelles de fondations - Vite fissaggio alle fondamenta - Schroef voor 1 wandbalk - Kruvi poolaualale                |               | 8    | 5x90   |           |           |
| HS16  | Screw for foundation - Schrauben zur befestigung fundament - Vis de fixations des poutrelles de fondations - Viti x fondamenta - Schroef voor fundering - Kruvi alusraamile                                                 |               | 10   | 5x90   |           |           |
| NF2   | Zn nail for floor fillet - Zn nagel für fussbodenleiste - Pointe pour corniere de finition du plancher - Chiodi x fissaggio pavimento - Spijker(nagel) voor vloer afdeklijst - Nael põrandaliistule                         |               | 26   | 1.4x40 |           |           |
| SH44  | Hammer block - Schlagholz - Calle de frappe - Blocco di legno da usare come cuscinetto quando si usa il martello - Slagklos - Löögiklots                                                                                    |             | 1    |        |           |           |
| SFS   | Nut for storm protection - Schraubenmutter für sturmleiste - Ecrou pour latte anti-tempete - Dado x asta protezione vento - Moer voor stormverankering - Mutter tormikinnitusliistule                                       |             | 8    | D8     |           |           |
| NF5   | Zn nail for roofing felt fillet - Zn nagel für dachpappenleiste - Pointe pour baguette de fixation feutre bitumeux - Chiodi x carta bituminosa x tetto - Spijker(nagel) voor asfaltpapier afdeklijst - Papiliistunael       |             | 22   | 2x40   |           |           |
| BFS   | Bolt for storm protection - Bolzen für sturmleiste - Boulon pour latte anti-tempete - Bullone x asta protezione vento - Bout voor stormankerlat - Puidupolt tormikinnitusliistule                                           |             | 8    | 8x80   |           |           |
| GS    | Gable segment - Deckblatt - Losange de finition - Decorazione in legno x frontale tetto - Gevelpunt segment - Romb                                                                                                          |             | 3    |        |           |           |
| DFS   | Washer for storm protection - Dichtscheibe für sturmleiste - Rondelle pour latte anti-tempete - Rondella x asta protezione vento - Afdichtring voor storm strip - Seib tormikinnitusliistule                                |             | 8    | D8     |           |           |
| NF4   | Zn nail for roof - Zn nagel für dachbretter - Pointe pour fixation voliges de toit - Chiodi x perline tetto - Spijker(nagel) voor dakhout - Nael katuselauale                                                               |             | 306  | 2x50   |           |           |
| NF4   | Zn nail for floor - Zn nagel für fussbodenbretter - Clous pour plancher - Chiodi x perline pavimento - Spijker(nagel) voor vloer - Nael põrandalaualale                                                                     |             | 225  | 2x50   |           |           |
| RS    | Roof element - Dachelement - Panneau de toit pré-monté - Componente del tetto - Dakelement - Katusekilp                                                                                                                     |              | 2    |        |           |           |
|       | Window - Fenster - Fenetre - Finestra - Raam - Aken                                                                                                                                                                         | 985x1336 TAK.1.106.TPSP.Kf DGP+A+                                                                | 1    |        |           |           |

[illegible]

| Pos | Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükítabel<br>985x1336 TAK.1.106.TPSP.Kf DGP+A+                                                                                                                                             | 1/1                                                                                   | Q  | P<br>(mm) | L<br>(mm) |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----|-----------|-----------|
|     | <p>Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 363x1158 mm</p> <div data-bbox="635 235 1069 799" data-label="Image"> </div> <div data-bbox="1324 141 1522 320" data-label="Image"> </div> <p>885x1240 mm</p> |                                                                                       |    |           |           |
| FS2 | Window handle fittings - Fenstergriff - Poignée de fenetre - Maniglia<br>c/ferramenta - Raamhendel -/grendel -/klink - Aknalink                                                                                                                                |  | 1  |           |           |
| HS1 | Screw for georgian bars - Schraube für sprossen - Vis pour croisillons - Viti<br>per unire la griglia georgiana della finestra - Schroeven voor raamverdeling -<br>Kruvi akna petteliistule                                                                    |  | 20 | 2.5x20    |           |
| HS4 | Screw for window fillet - Schraube für glasseiste - Vis de filet de fenetre -<br>Vite per assemblaggio finestra - Schroef voor glaslijst - Kruvi akna<br>kokkuvaltšiliistule                                                                                   |  | 3  | 3x30      |           |

| Pos | Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitabel<br>24.11.2017 985x1336 TAK.1.106.TPSV.Kf DGP+A+                                                                                                                                  | 1/1                                                                                   | Q  | P<br>(mm) | L<br>(mm) |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----|-----------|-----------|
|     | <p>Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 363x1158 mm</p> <div data-bbox="635 237 1069 801" data-label="Image"> </div> <div data-bbox="1331 145 1522 322" data-label="Image"> </div> <p>885x1240 mm</p> |                                                                                       |    |           |           |
| FS2 | Window handle fittings - Fenstergriff - Poignée de fenetre - Maniglia c/ferramenta - Raamhendel -/grendel -/klink - Aknalink                                                                                                                                   |  | 1  |           |           |
| HS1 | Screw for georgian bars - Schraube für sprossen - Vis pour croisillons - Viti per unire la griglia georgiana della finestra - Schroeven voor raamverdeling - Kruvi akna petteliistule                                                                          |  | 20 | 2.5x20    |           |
| HS4 | Screw for window fillet - Schraube für glasleiste - Vis de filet de fenetre - Vite per assemblaggio finestra - Schroef voor glaslijst - Kruvi akna kokkuvaltšiliistule                                                                                         |  | 3  | 3x30      |           |

| Pos  | Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükítabel<br>1244x1850 TUK.2.066.TPVP.MMKWe DGP+A+                                                                                                                                                                                      | 1/1                                                                                   | Q  | P<br>(mm) | L<br>(mm) |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----|-----------|-----------|
|      | <p>Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 389x1085 mm</p>   <p>1144x1766 mm</p> |                                                                                       |    |           |           |
| HS1  | Screw for georgian bars - Schraube für sprossen - Vis pour croisillons - Viti per unire la griglia georgiana della finestra - Schroeven voor raamverdeling - Kruvi ukse petteliistule                                                                                                                       |  | 20 | 2.5x20    |           |
| HS4  | Screw for door fillet - Schraube zur befestigung türleiste - Vis pour fixation baguette d'arret de porte - Viti per massellino della porta - Schroef voor deurlijst - Kruvi ukse kokkuvaltsiliistule                                                                                                        |  | 5  | 3x30      |           |
| HS16 | Screw for door jamb - Schraube für türrahmen - Vis de fixation partie haute avec montants du cadre de porte - Viti x fissaggio montanti porte - Schroef voor deurkozijn - Kruvi ukse lengile                                                                                                                |  | 4  | 5x90      |           |
| HS25 | Screw for doorstep - Schrauben für swelle - Vis pour fixation barre de seuil - Vite per soglia della porta - Schroef voor deurdorpel - Kruvi lävepakule                                                                                                                                                     |  | 3  | 4.5x65    |           |
| MH   | Male bolt hinge for door - Türband - Partie male de paumelle de porte - Cerniera anube x porta - Scharnier bout - Reguleeritav polthing isane                                                                                                                                                               |  | 6  | 14x80     |           |
| HC   | Covers for door hinges - Schutzkappe für türband - Couverture de paumelle de porte - Copertura delle cerniere della porta - Afdek kap voor deurscharnier - Reguleeritava polthinge kate                                                                                                                     |  | 12 |           |           |
| TL4  | Door handle fittings - Türgriff - Poignee de porte - Maniglie - Deurhendel klink - Ukse käepide                                                                                                                                                                                                             |  | 1  |           |           |
| TL5  | Set of door lock covers - Schlossblenden - Set de garnitures de porte - Copertura serrature - Slot sluitplaat set - Ukse lukuplaat                                                                                                                                                                          |  | 1  |           |           |
|      | Cylinder lock - Zylinderschloss - Barillet de porte - Serratura - Cylinder slot - Ukse lukusüdamik                                                                                                                                                                                                          |  | 1  | 30x35     |           |
|      | Striker for barrel bolt - Hülse für grendelriegel - Gache au sol du targette - Boccola per fermo della porta - Huls voor vergrendelingsschuif - Vasturaud ukse servariivile                                                                                                                                 |  | 2  |           |           |